

## Riteks SC-402W

### MULTI-FUNCTIONAL DEPOSIT CONTROL AGENT FOR OILFIELD APPLICATIONS

#### General Description

SC-402W has been designed for oilfield systems with potential for Calcium Carbonate, Calcium Sulphate, Barium Sulphate, and Iron based scales. Advanced polymer chemistry affords scale inhibition in the most challenging environments of high TDS, elevated temperatures (> 180 C), alkaline pH levels (> 9.0), and high levels of Iron (> 100 ppm).

SC-402W has proven to achieve “best in class” performance in both field and lab evaluations vs. numerous competing products.

SC-402W is winterized with Methanol for freeze protection to -40C.

#### Dosage and Applications

The suggested levels for most applications is 50 – 100 ppm depending on water conditions.

#### Handling, Health and Environmental

SC-402W contains Methanol. Proper PPE is recommended when handling. Please check for compatibility prior to blending with other chemicals including neutralizing agents. Before handling or using this product please refer to the Safety Data Sheet for complete health, safety and environmental information. Dispose of waste in accordance with local, state and federal regulations.



#### TYPICAL PROPERTIES

Appearance	Clear to pale yellow solution
Form	Aqueous Solution
Density	1.0 – 1.10
pH	1.0 – 3.0
Solubility	Water

*Typical properties given do not constitute a supply specification.*

#### Packaging/Storage

Available in 330 gallon totes  
Store away of direct heat sources

We warrant our products to be of good quality and will replace or, at our discretion, refund the purchase price of any products proved defective. Satisfactory results depend not only upon quality products, but also upon many factors beyond our control. Therefore, except for such replacement or refund, RITEKS MAKES NO WARRANTY OR GUARANTEE, EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF FITNESS FOR A PARTICULAR PURPOSE OR MERCHANTABILITY. Riteks shall have no other liability with respect thereto. User shall determine the suitability of the products for the intended use and assume all risks and liability in connection there with. The information provided herein is based on technical data that Riteks, Inc. believes to be reliable. Riteks, Inc. makes no representation or warranty as to the completeness or accuracy thereof and assumes no liability resulting from its use for any claims, losses, or damages of any third party. Recipients receiving this information must exercise their own judgment as to the appropriateness of its use and it is the user's responsibility to assess the material's suitability (including safety) for a particular purpose prior to such use.